SAFETY DATA SHEET

Revision Date 12/07/2020

1. PRODUCT AND COMPANY IDENTIFICATION


1.1	Product identifier Product Name	:	ISO-CHEK Calibration Standards: MAMA-HDI, MAMA-HMDI, MAMA-IPDI, MAMA-MDI, MAMA-2,4-TDI, and MAMA-2,6-TI	
	Part No.	:	225-9053, 225-9056, 225-9054, 225-9062, 225-9052, 225-9055	
1.2	Recommended Use	:	Calibration Standards for ISO-CHEK Sampling System	
1.3	Details of the supplier of the safety data sheet			
	Company	:	SKC, Inc. 863 Valley View Rd. Eighty Four, PA 15330 USA	
	Telephone Fax	:	724-941-9701; 800-752-8472 (Mon - Fri, 8:30 a.m 5:00 p.m. EST) 724-941-1369 (Mon - Fri, 8:30 a.m 5:00 p.m. EST)	
1.4 Emergency telephone number				
	Emergency Phone #	:	CHEMTREC at 800-424-9300 (U.S./Canada); 703-741-5970 (Global)	

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture **GHS-US** classification

GIIG-00 classification	
Flammable liquids 3	H226
Acute toxicity, dermal 4	H312
Eye irritation 2A	H319
Acute toxicity, inhalation 4	H332
Reproductive toxicity 1B	H360
STOT RE 1	H372

Label elements **GHS-US** labeling Hazard pictograms



Unknown acute toxicity

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name	Product Identifier	%	GHS-US classification
MAMA-HDI, MAMA-HMDI, MAMA-IPDI, MAMA-MDI, MAMA-2,4-TDI, and MAMA-2,6-TDI	N/A	<1	No data available
Dimethylformamide	68-12-2	100	Flammable liquids 3, H226 Acute toxicity, oral 5 H303 Acute toxicity, dermal 4, H312 Acute toxicity, inhalation 4, H332 Serious eye damage/irritation 2A, H319 Reproductive toxicity 1B, H360

4. FIRST AID MEASURES

Description of first aid measures

Inhalation	Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.
Eye	IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention
Skin	In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Take off contaminated clothes. If skin irritation occurs, get medical advice/attention.
Ingestion	If swallowed, wash out mouth with water provided person is conscious. Call a doctor/physician. Do not induce vomiting. If person is drowsy or unconscious and vomiting, place on the left side with head down.

Most important symptoms and effects, both acute and delayed

May be harmful by inhalation, ingestion or skin absorption Causes eye and skin irritation Material is irritating to mucous membranes and upper respiratory tract

Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

5. FIREFIGHTING MEASURES

Extinguishing media Water spray Carbon dioxide, dry chemical powder or appropriate foam

Special Firefighting instructions

Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including positive pressure self-contained breathing apparatus

Unusual Fire and Explosion Hazard

May form toxic fumes under fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Remove ignition sources. Avoid static electric charges. No naked lights. Wear appropriate protective equipment including self-contained breathing apparatus, rubber gloves and rubber boots.

Emergency procedures

Evacuate unnecessary personnel.

Environmental precautions

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

Absorb and/or contain spill with inert material, then place in a bag. Dispose of waste safely Avoid raising dust Ventilate area and wash spill site after material pick-up is completed.

7. HANDLING AND STORAGE

Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Use spark-proof tools. Keep away from heat/sparks/flames.

Conditions for safe storage

Store in a cool, dry and well ventilated area. Light sensitive. Keep in amber containers. Isolate from incompatible materials and conditions. Keep containers closed and correctly labelled. Keep away from sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Dimethylformamide cas: 68-12-2 10 ppm ACGIH TWA (ppm) ACGIH STEL (ppm) 10 ppm **OSHA PEL** 10 ppm 30 mg/m³ 10 ppm 30 mg/m³ Quebec (VEMP) No data available N/A ACGIH TWA (ppm) MAMA-HDI, MAMA-HMDI, MAMA-IPDI, MAMA-MDI, MAMA-2,4-TDI, and MAMA-2,6-TDI ACGIH STEL (ppm) No data available **OSHA PEL** No data available **Exposure controls Engineering Measures/controls** Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable exposure limit values. Personal Equipment Hand protection Wear chemically resistant protective gloves Chemical goggles or safety glasses Eve protection Wear Protective clothing Skin and body protection Respiratory protection In case of insufficient ventilation, use a NIOSH/MSHA approved respirator Other information Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Information on basic physical and chemical prop	erties
Physical state	Liquid
Appearance	Liquid
Color	Colorless to light yellow
Odor	Unpleasant odor.
Odor threshold	0.47 ppm (low)
	100 ppm (high)
рН	6.7 (4.0%)
Relative evaporation rate (butylacetate=1)	0.17
Relative evaporation rate (ether=1)	60
Melting point	-61°C
Freezing point	No data available
Boiling point	153°C
Flash point	58°C
Critical temperature	370°C
Self ignition temperature	440°C
Decomposition temperature	350°C
Flammability (solid, gas)	No data available
Vapor pressure	3.8 hPa
Vapor pressure at 50°C	25 hPa
Relative vapor density at 20°C	2.5
Relative density	0.95
Density	950 kg/m³
Solubility	Soluble in water, ethanol, ether, acetone, aromatic
	hydrocarbons, chloroform, tetrachloromethane,
	dimethylsulfoxide.
Viscosity, kinematic	No data available
Viscosity, dynamic	0.0008 Pa.s (25°C)

10. STABILITY AND REACTIVITY

Stability	Stable under recommended handling and storage conditions. (see section 7)
Chemical incompatibility Hazardous decomposition	Strong oxidizing agents
products	Toxic fumes of Carbon Monoxide, Carbon Dioxide and Nitrogen Oxides

11. TOXICOLOGICAL INFORMATION

Dimethylformamide	cas: 68-12-2
LD50 oral rat	>2000 mg/kg
LD50 dermal rat	1100 mg/kg
LC50 inhalation rat	5,9 mg/l/4h
LC50 inhalation rat	1948 ppm/4h
Routes of entry Farget Organs	Inhalation, contact, ingestion Eyes, skin, respiratory tract
Potential Health Effects Inhalation	
Acute (Immediate	 Exposure to high concentration abdominal pain, dizziness, expressure, feeling of weakness

Chronic (Delayed) Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled					posure	
Skin	Acute (Immediate) Chronic (Delayed)	Slight irritation. Repeated exposure can result in absorption through skin causing significant health hazard. Tingling/irritation of the skin. Skin rash/inflammation. Harmful in contact with skin				
Eye	Acute (Immediate)Irritation of the eye tissue. Conjunctivitis. Inflammation or damage of the eye tissue.Chronic (Delayed)No data available					
Ingesti	on Acute (Immediate) Chronic (Delayed)	No data ava No data ava				
Chroni	c symptoms Continuous/repeated	of testicular	tumors. Possible	omplaints. Loss of appe premature birth. Cardia notes the clotting of blo	ac and	
-	nent Toxicological Data					
		umber 3-12-2	source IARC ACGIH	information group 3	Not classifiable as to its carcinogenicity to humans Not classifiable as human carcinogen	
Dimeth	DLOGICAL INFORMATION	N	IARC		carcinogenicity to humans	
Dimeth	nylformamide 68 DLOGICAL INFORMATIO ylformamide cas: 68-1 y sh 1 aphnia 1 sh 2	N 9800mg/l 96 1300 mg/l 4 6300 mg/l 9 10.2 ppm 96 10 mg/l; Sce	IARC ACGIH sh; Salmo gairdne 8h; Daphnia magr 6h; Lepomis macr	group 3 ri (Oncorhynchus mykis na ochirus ri (Oncorhynchus mykis cauda	carcinogenicity to humans Not classifiable as human carcinogen	
Dimeth I2. ECC Dimeth C50 fis C50 fis C50 fis FLM fis Fhresho	DLOGICAL INFORMATION ylformamide cas: 68-1 y sh 1 laphnia 1 sh 2 h 1 bld limit algae 1	N 9800mg/l 96 1300 mg/l 4 6300 mg/l 9 10.2 ppm 96 10 mg/l; Sce 0.5 mg/l; Se Readily bioc	IARC ACGIH 6h; Salmo gairdne 8h; Daphnia magr 6h; Lepomis macr 5h; Salmo gairdne enedesmus quadri lenastrum caprico	group 3 ri (Oncorhynchus mykis a ochirus ri (Oncorhynchus mykis cauda rnutum er. Biodegradable in the	carcinogenicity to humans Not classifiable as human carcinogen ss)	
Dimeth I2. ECC Dimeth Coxicit C50 fis C50 fis C50 fis C50 fis C50 fis C50 fis C50 fis C50 f	DLOGICAL INFORMATION ylformamide cas: 68-1 y sh 1 aphnia 1 sh 2 h 1 old limit algae 1 old limit algae 2	N 9800mg/l 96 1300 mg/l 4 6300 mg/l 9 10.2 ppm 96 10 mg/l; Sce 0.5 mg/l; Se Readily bioc	IARC ACGIH Sh; Salmo gairdne 8h; Daphnia magr 6h; Lepomis macr 5h; Salmo gairdne enedesmus quadri lenastrum caprico legradable in wate dation in the air. N	group 3 ri (Oncorhynchus mykis a ochirus ri (Oncorhynchus mykis cauda rnutum er. Biodegradable in the	carcinogenicity to humans Not classifiable as human carcinogen ss)	
Dimeth 12. ECC Dimeth Toxicity LC50 fis EC50 D LC50 fis TLM fis Thresho Persist Bioacc	DLOGICAL INFORMATION ylformamide cas: 68-1 y sh 1 laphnia 1 sh 2 h 1 old limit algae 1 old limit algae 2 ence and degradability	N 9800mg/l 96 1300 mg/l 96 1300 mg/l 9 10.2 ppm 96 10 mg/l; Sce 0.5 mg/l; Se Readily bioc Photodegrad	IARC ACGIH Sh; Salmo gairdne 8h; Daphnia magr 6h; Lepomis macr 5h; Salmo gairdne enedesmus quadri lenastrum caprico legradable in wate dation in the air. N	group 3 ri (Oncorhynchus mykis a ochirus ri (Oncorhynchus mykis cauda rnutum er. Biodegradable in the	carcinogenicity to humans Not classifiable as human carcinogen ss)	

	regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Remove to an authorized waste incinerator for solvents.
Waste disposal of packaging	Dispose of contents/container to local, federal regulations.
Ecology waste materials	Avoid release to the environment

14. TRANSPORT INFORMATION

- In accordance with DOT Shipping name State during transport UN number Hazard class Packing group Danger label
- Dimethylformamide liquid UN2265 3 - Flammable liquid III 3 - Flammable liquids



15. REGULATORY INFORMATION

US Federal regulations

Dimethylformamid	e cas: 68-12-2	
Listed on the United	States TSCA (Toxi	c Substances Control Act) inventory
Listed on SARA Se	ction 313 (Specific T	oxic Chemical listings)
RQ (Reportable qua	antity, section 304 of	EPA's List of Lists
Canada: WHMIS (V	Vorkplace Hazardou	s Materials Information System)

Canada: CEPA (Priority Substances List)

100 lb B3, D2A, D2B Listed

16. OTHER INFORMATION

Disclaimer

For approved uses only. Not for drug, household, or other uses.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. SKC Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Latest Change(s): Updated SDS to bring into compliance with the GHS

Last Update: December 2020