

SAFETY DATA SHEET

Revision Date 12/29/2023

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : MethAlert Step 2 Developer

Product Number : 560-001, Component

Brand : SKC Inc.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Used with SKC MethAlert Kit

1.3 Details of the supplier of the safety data sheet

Company : SKC, Inc.

863 Valley View Rd. Eighty Four, PA 15330

USA

Telephone : 724-941-9701; 800-752-8472 (Mon - Fri, 8:30 a.m. - 5:00 p.m. EST)

Fax : 724-941-1369 (Mon-Fri, 8:30 a.m. - 5:00 p.m. EST)

1.4 Emergency telephone number

Emergency Phone # : CHEMTREC at 800-424-9300 (U.S./Canada); 703-741-5970 (Global)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 1), H224 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402 + H301

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H224 Extremely flammable liquid and vapour.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H402 Harmful to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Form 79894 Rev 231229 Page 1 of 9

Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face
protection.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position
comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
extinction.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Photosensitizer. May form explosive peroxides.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration			
Component 1 Trade Secret					
	Flam. Liq. 1; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 3; H224, H319, H335, H402	6 %			
Component 2 Trade Secret					
	Acute Tox. 3, H301	2 %			
Distilled water					
		92 %			

For the full text of the H-Statements mentioned in the Section, see Section 16.

Important Note: As required by OSHA regulations, hazardous information supplied is based on exposure to reagent-grade (full-strength) chemicals. SKC MethAlert Kit contains a dilute solution of component 1 and component 2. Component 1 has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, and EPA classification. Component 2 is not listed as a carcinogen.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Form 79894 Rev 231229 Page 2 of 9

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NO_x), sodium oxides, iron oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid formation of aerosols.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Refrigerate before opening.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Form 79894 Rev 231229 Page 3 of 9

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component		Value	Control parameters	Basis			
Component 1		С	25 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Trade Secret							
	Remarks	Upper Resp	Upper Respiratory Tract irritation				
		Eye irritation	n				
		Adopted values or notations enclosed are those for which changes					
		are propose	are proposed in the NIC				
	C)						
	Confirmed animal carcinogen with unknown relevance to humans						
		Potential Occupational Carcinogen See Appendix C					
		See Append	See Appendix A				
		TWA	200 ppm	USA. Occupational Exposure Limits (OSHA) -			
			360 mg/m ³	Table Z-1 Limits for Air Contaminants			
		The value in	The value in mg/m³ is approximate.				
		С	25 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Upper Resp	Upper Respiratory Tract irritation				
		Eye irritation	Eye irritation				
		2014 Adoption					
		Suspected human carcinogen					

Component		Value	Control parameters	Basis		
Component 2		TWA	5 mg/m ³	USA. Occupational Exposure Limits (OSHA) -		
Trade Secret				Table Z-1 Limits for Air Contaminants		
	Remarks	CAS number	varies with compound			
		Skin designa				
		С	5 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)		
Upper Respiratory Tract irritation						
Headache Nausea						
		Thyroid effects Danger of cutaneous absorption				
		varies				
		TWA	1 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respi	Upper Respiratory Tract irritation			
		Skin irritation				
		varies				
		С	4.7 ppm	USA. NIOSH Recommended Exposure Limits		
			5 mg/m ³	·		
		10 minute ce	iling value			
		TWA	1 mg/m ³	USA. NIOSH Recommended Exposure Limits		

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Form 79894 Rev 231229 Page 4 of 9

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: liquid, clear a) Appearance

Colour: colourless

b) Odour no data available

c) Odour Threshold no data available

Ha (b no data available

e) Melting point/freezing

point

no data available

f) Initial boiling point and

boiling range

no data available

g) Flash point no data available

h) Evapouration rate no data available

i) Flammability (solid, gas) no data available

j) Upper/lower no data available

flammability or explosive limits

k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available

n) Water solubility completely miscible

Form 79894 Rev 231229 Page 5 of 9 o) Partition coefficient: n- no data available

octanol/water

p) Auto-ignition no data available

temperature

no data available

q) Decomposition temperature

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Avoid exposure to air any longer than necessary so as to prevent peroxide formation.

Stable under recommended storage conditions.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Oxidizing agents, Reducing agents, acids, Nitric acid, Peroxides, Bases, Sodium Hydroxide, Amines, Ammonia, Oxygen, Warning: Component 1 is oxidized rapidly and exothermically by air, to acetic acid, Acid anhydrides, Alcohols, Halogens, Ketones, Phenol, Hydrogen sulfide gas, Hydrogen peroxide

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Lowest observed effect level Oral - Rat - 675 mg/kg

LC50 Inhalation - Rat - 4 h - 13300 ppm

(OECD Test Guideline 403)

Remarks: Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea.

LD50 Dermal - Rabbit - 3,540 mg/kg

LD50 Oral - Rat - 99 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

Form 79894 Rev 231229 Page 6 of 9

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Component 1, Trade Secret)

1 - Group 1: Carcinogenic to humans (Component 1, Trade Secret)

NTP: Reasonably anticipated to be a human carcinogen (Component 1, Trade Secret)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: AB1925000

Blurred vision, Unconsciousness, Headache, Vomiting, Nausea, Pulmonary edema. Effects may be delayed., Convulsions, sneezing, Cough, Shortness of breath

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

RTECS: LJ8925000

May cause cyanosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 31 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 57.4 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - > 100

mg/l - 24 h

(OECD Test Guideline 201)

Form 79894 Rev 231229 Page 7 of 9

12.2 Persistence and degradability

Biodegradability

Biotic/Aerobic - Exposure time 14 d

Result: 80 % - Readily biodegradable

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1089 Class: 3 Packing group: I

Proper shipping name: (Component 1, Trade Secret)

Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

UN number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, inorganic, n.o.s. (Component 2, Trade Secret)

Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1089 Class: 3 Packing group: I EMS-No: F-E, S-D

Proper shipping name: (Component 1, Trade Secret)

UN number: 3288 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Component 2, Trade Secret)

IATA

UN number: 1089 Class: 3 Packing group: I

Proper shipping name: (Component 1, Trade Secret)

IATA Passenger: Not permitted for transport

UN number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, inorganic, n.o.s. (Component 2, Trade Secret)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Form 79894 Rev 231229 Page 8 of 9

CAS-No. **Revision Date**

Comp 1 & 2 listed Trade Secret

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. **Revision Date**

Comp 1 listed Trade Secret

Pennsylvania Right To Know Components

CAS-No. **Revision Date**

Comp 1 & 2 listed Trade Secret

New Jersey Right To Know Components

CAS-No. **Revision Date**

Revision Date

Comp 1 & 2 listed Trade Secret

California Prop. 65 Components

Component 1

Revision Date WARNING! This product contains a chemical known to the CAS-No.

State of California to cause cancer.

Component 2

WARNING! This product contains a chemical known to the

CAS-No. State of California to cause birth defects and other

reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute Toxicity Aquatic Acute Acute aquatic toxicity Eye Irrit. Eye irritation

Flam. Liq. Flammable liquids

Extremely flammable liquid and vapour. H224

H301 Toxic if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H402 Harmful to aquatic life.

STOT SE Specific target organ toxicity - single exposure

For approved uses only. Not for drug, household, or other uses.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. SKC Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Latest Change(s): Updated SDS to bring into compliance with the GHS

Last Update: December 2023

Page 9 of 9 Form 79894 Rev 231229